MATERIAL SAFETY DATA SHEET

PRODUCT NAME:

Vedco Chlorhex-Q Scrub

AS SOLD BY VEDCO

A Service of

COMPAS
MATERIAL SAFETY DATA SYSTEMS
www.compasmsds.com

MATERIAL SAFETY DATA SHEET
Vedco Inc Chlorhex-Q Scrub

SECTION 1 - PRODUCT INFORMATION

Manufacturer: AmPharm Co, Inc.
Address: 1401 Joel East Rd.
Fort Worth, TX 76140
Emergency Phone: 800-424-9300
Trade Name Chlorhex Q Scrub
Chemical Name and Synonyms: N/A
Chemical Family: N/A
Formula: N/A

SECTION 2 - HAZARDOUS INGREDIENTS

Glycol ethers CAS# 9036-19-5

SECTION 3 - PHYSICAL DATA

Boiling Point (Deg. F): NE
Vapor Pressure (mm Hg): NE
Vapor Density (Air = 1): NE
Solubility in Water: Soluble
Appearance and Odor: Light blue viscous liquid with minimal odor.
Specific Gravity (H2O = 1): 1.0060
Volatile by Volume: NE
Evaporation Rate: NE
Melting Point: NE

SECTION 4 - FIRE AND EXPOLSION HAZARD DATA

Flash Point (Method Used): N/A
Flammable Limits: N/A
Extinguishing Media: Use extinguishing media such as water, alcohol-type foam, universal foam, dry chemical, or carbon dioxide
Special Fire Fighting Procedures: Approach fire from upwind side. Avoid breathing smoke, fumes, mist, or vapors. Firefighters wear protective clothing and self contained breathing apparatus.

Unusual Fire and Explosion Hazards: N/A

SECTION 5 - HEALTH HAZARD DATA

Threshold Limit Value: N/A
Effects Of Overexposure: Warning! Ingestion of liquid may cause nausea, vomiting, and headache. May irritate or burn eyes. May irritate skin, mucous membranes, and upper respiratory tract.
Emergency First Aid Procedure:
Eyes: irritant. May cause permanent tissue damage if not removed promptly. Preexisting eye disorders may be aggravated by exposure to this product.
Skin: may irritate skin. Preexisting skin disorders may be aggravated by exposure to this product. May cause skin sensitization, an allergic reaction from this product.
Inhalation:Mist and or vapors may cause irritation to nose, throat, and upper respiratory.
Ingestion: irritating to mouth, throat, and stomach. May cause gastric tract disorder and or damage.

SECTION 6 - REACTIVITY DATA

Stability: () Unstable (x) Stable
Conditions To Avoid: protect from light or from high heat
Incompatibility (Materials to Avoid): Keep away from sulfates, borates, bicarbonates, and chlorides.
Hazardous Polymerizations: () May Occur (x) Will Not Occur

SECTION 7 - SPILL OR LEAK PROCEDURE

Steps To Be Taken In Case Material Is Released Or Spilled: Remove from surface by skimming or by using suitable absorbents. Remove from bottom of body of water by using methods approved by regulatory authorities. Place recovered product in a suitable chemical waste container for disposal.
Waste Disposal Method: Follow all local, state, and federal regulations.

SECTION 8 - SPECIAL PROTECTION INFORMATION